

High CRI Indirect AR111 720lm, 3000K LED Lamp with 25-Degree Beam Angle, 75W Replacement

- 75-watt, 12-volt halogen replacement lamp
- Custom optical and thermal design by Mitsubishi Chemical Corporation
- Indirect light source minimizes glare
- 90 CRI – renders illuminated colors with great accuracy
- 25-degree narrow flood beam angle
- Fully dimmable
- 3000K, warm white – ideal for many commercial retrofit applications including hospitality, retail and museums
- Reduces energy consumption by over 85% when compared to traditional halogen lamps
- Environmentally friendly – contains no mercury or other hazardous materials; RoHS compliant
- 3-year Limited Warranty



Specifications	
Lamp Type	AR111 720lm, 3000K, 25-Degree Beam Angle
Part Number	99551
Model	AR-L720-C30-B25-90-ID
Dimmable	Yes
Voltage	12V
Wattage	10W
Color Temperature	3000K
Lumen Output	720 lm
Efficacy	72 lm/W
CRI	90
Beam Angle	25°
Operating Temperature	-20°C to 40°C
Socket	G53
Design life	50,000 hrs
CBCP	2800
Dimensions(L x W x H)	4.37 x 4.37 x 2.28 in
Weight	.20 lbs
Warranty	3-Year Limited Warranty

Certifications:





High CRI Indirect AR111 720lm, 3000K LED Lamp with 25-Degree Beam Angle, 75W Replacement

Additional Images:



Diagrams:



Lighting Facts:

Lighting Facts Per Bulb	
Information concernant l'éclairage Pour une ampoule	
Brightness/Luminosité	720 lumens
Estimated Yearly Energy Cost	\$1.20
Estimation Des Coûts Énergétiques Annuels	
Based on 3 hrs/day, 11¢/kWh Sur la base de 3 heures / jour, 11 ¢ / kWh Cost depends on rates and use Le coût dépend du tarif et de l'utilisation	
Life/Durée de vie	45.6 years/années
Based on 3 hrs/day Sur la base de 3 heures/jour	
Light Appearance/Degré de luminosité	
Warm/Chaud ← 3000 K → Cool/Froid	
Energy Used/Energie utilisée 10 watts	