



NA1204

NOVA Low Voltage Track Fixture
Track Systems

Job Information		
Project Name		Type
Location	Canadalite.com	
Quantity		Date
Contact/Phone	1(888)887-7038	
Notes		

Features

Body

Constructed of die cast aluminum which provides superior strength and rigidity. Softened edges adds up to the low profile aesthetic design. Serrated sides for easy gripping.

Transformer

Solid state electronic transformers provide noise-free voltage reduction and operation. 120V AC to 12V AC.

Lamping

Porcelain socket for 12V MR16 lamps, 50 watts max. A high temperature glass shield is included, mounted to front of lamp fixture.

Adjustability

Lamp housing is controlled with an adjustable double yoke that would provide custom aiming; 330° horizontal rotation and 180° vertical rotation.

Dimming

The track fixture is dimmable when used with electronic low voltage rated dimming controls only. 120V / 60Hz input; 12V output; 50W maximum load.

Compatibility

Liteline track fixtures are compatible with Juno®, Halo® and most brands configured to Halo® track system design.

Labels

- cULus listed.



Description

The NOVA is a timeless round back step baffle track fixture that provides for a deep lamp shielding. The double yoke provides secure positioning for precise light source aiming.

5-3/4"
146mm

2-5/8"
67mm

3-3/16"
81mm

Connector Compatibility Chart

Juno® Style Liteline® Style Halo® Style



Notes: Accessories should be ordered separately. For additional options please consult your Liteline representative. Juno is a registered trademark of Juno Lighting Group. Halo is a registered trademark of Cooper Lighting. Due to our continued efforts to improve our products, product specifications are subject to change without notice.

Ordering Guide

NA1204-BK
NOVA black track fixture, 12V.

NA1204-WH
NOVA white track fixture, 12V.

