


# SPECIFICATION

# NEXLEDS®

NEXLEDS LTD



**3 CCT CHANGEABLE**

**3000K 4000K 5000K**

3000K 1450 lm      4000K 1650 lm      5000K 1550 lm



## Sensor LED Downlight


## NX-SMDSP9-18W 18W

### Specification

Product Name :	Sensor LED Downlight
Model No. :	NX-SMDSP9-18W
Specification :	AC100-130V; 50/60Hz; 170mA; 18W
Working Temp :	-20~50(°C)
Power Factor :	0.95
CRI(ra) :	>80
Color :	White Color
Material :	PC
Light Source :	SMD2835
Lumen :	80~91 LM/W
Life Time :	50000 hrs
Beam Angle :	120°
Product Size :	8.66 inch
IP :	IP20
Application :	Home, Shop, Hotel
Warranty :	5 years
Standard :	ETL
Color Temp :	3000K-4000K- 5000K changeable
Sensor Detective Time:	30s and 180s changeable
Sensor Working Height:	8ft~15ft
Sensor Trigger Diameter:	6ft~10ft
Photocell Working Lux:	<13lux
Sensor Control:	On/off changeable

**Feature:**

- Super slim - only 0.7inch. Elegant appearance.
- Built-in driver, save your space.
- Several types of the panel light sizes for your choice, can be used for main lighting or decorating lighting.
- Multiple installation ways, easy operating, save labor.
- Soft lighting.
- High brightness, high CRI, perfect replacement for ceiling lamp.



**Sensor Switch**



Switch 2: Night motion sensor mode

Switch 3: Sensor ON/OFF

Switch 1: 30/180s sensor duration time setting




Switch 2: All motion sensor mode




**Motion sensor & Light sensor**  
Panel light


**Dimension:**



FrontView




SideView




BackView

**EASY & FAST installation**



**Applications:**



Hotel



Corridor



Balcony



Front of door



Elevator Exit