



75W-60W-45W

Changeable

3000K-3500K-4000K-5000K

Changeable



VIDEO

LED DOWNLIGHT 75W/60W/45W


NX-LAL6F-75W-L-DV-TCP

Specification

75W/60W/45W

3000K-3500K-4000K-5000K Tunable

Industrial and Commercial Applications






Instruction:

Ceiling box installation instructions

Fig. 100

						
1. Screws for the box	2. Screws for the box	3. Screws for the box	4. Screws for the box	5. Screws for the box	6. Screws for the box	7. Screws for the box

Installation instructions


Installation:

Main system installation		Notes



Specialty light bar using and installation instructions				Notes

INSTALLATION:


Before starting, please read the instruction manual carefully.




Installation:



Instruction:




Instruction:





Instruction:



Applications:



Note:

1. The installation and performance shall be completed by electricians or professionals.
 2. Please follow the power supply instructions and safety precautions.
 3. The warranty is void if the product is not installed according to the instructions.
 4. Please keep away from the power supply and avoid the hot surface of the product.
 5. Working temperature: 40°F-140°F, storage temperature: 40°F-140°F.

Important:

Please read the following instructions carefully before installation. Please follow the instructions carefully.
 1. The product is not designed for use in areas with high humidity or high salt content.
 2. The product is not designed for use in areas with high vibration or high shock.
 3. The product is not designed for use in areas with high temperature or high pressure.
 4. The product is not designed for use in areas with high dust or high debris.
 5. The product is not designed for use in areas with high moisture or high humidity.

Warning:

- ⚠️ Do not touch the product directly with your hands. The product is hot when it is working.
- ⚠️ Do not touch the product directly with your hands. The product is hot when it is working.
- ⚠️ Do not touch the product directly with your hands. The product is hot when it is working.
- ⚠️ Do not touch the product directly with your hands. The product is hot when it is working.
- ⚠️ Do not touch the product directly with your hands. The product is hot when it is working.
- ⚠️ Do not touch the product directly with your hands. The product is hot when it is working.