

Date:

Type:

Project Name:

Part Number:

ORION SERIES

LED UFO HIGHBAY



Dimmable Sensor (OPTIONAL)



PC Reflector with bottom cover



Controller for Bi-Level Sensor



DESCRIPTION

Our new generation LED highbays are ideal for replacing HID High Bay fixtures, offering high performance and long life. Designed precision spherical and convex lens and offers low brightness, uniform illumination and high efficiency LED platform. Designed with easy installation of sensors at the face of the fixture.

APPLICATIONS

- Commercial Building
- Warehouse
- Road Junction

FEATURES

- Suitable for wet locations
- IP65 rated Provides L70 of greater than 70,000 hours
- a large heat sink.
- Includes 6' cord, ring bolt mounting accessory & safety hanging kit
- Dual Voltage 120-347V
- 40°F to 122°F (-40°C to +50°C) operating temperature
- 7 Years Limited Warranty
- Polycarbonate Lens
- 0-10V Dimming
- Multi-CCT/Selectable Wattage in the features

SPECIFICATION

ORDER #	MODEL#	LUMENS OUTPUT	WATTS	VOLTS	POWER FACTOR	CCT	CRI
R34211	RENO-HBU-120W-DV-MCCT-R1	8760/11680/ 14600/17520	60/80/ 100/120W	120-347V	0.9	35/40/ 50K	>80
R34212	RENO-HBU-160W-DV-MCCT-R2	11680/14600/ 17520/23360	80/100/ 120/160W	120-347V	0.9	35/40/ 50K	>80
R34213	RENO-HBU-250W-DV-MCCT-R3	17520/21900/ 29200/36500	120/150/ 200/250W	120-347V	0.9	35/40/ 50K	>80
R39601	RENO-HBU-Cover-1	PC Reflector for 100W&150W UFO HIGHBAY					
R39602	RENO-HBU-Cover-2	PC Reflector bottom cover for 100W&150W UFO HIGHBAY					
R39405	RENO-LHB-SENSOR	Bi-level Sensor for UFO highbay					
R39406	RENO-LHB-CONTROLLER	Controller for Bi-Level Sensor					



905-604-4666



info@renolighting.com



www.renolighting.com

Date:	Type:
Project Name:	Part Number:

DIMENSION

